

Jectron Fuel Injection Cleaner

Description

A combination of additives to clean and maintain the fuel system of port injected and carbureted gasoline engines. Cleans injectors, the combustion chamber and protects against corrosion. Restores proper fuel atomization and improves engine efficiency. Regular use keeps the fuel system in perfect working order.

Properties

- cleans fuel system
- assures precise atomization
- improved driveability
- normalizes fuel consumption and exhaust emissions values
- removes carbon deposits from the intake valves and in the combustion chamber
- excellent corrosion protection
- tested for the use with catalytic converters

Technical data

Base	Additiv-Kombination in Trägerflüssigkeit / additive mixture in liquid carrier
Color / appearance	hellgelb, klar / light yellow, clear
Regulation on Flammable Liquids Class (Germany)	A II
Flash point	>142 °F
Pour point	-49 °F
Form	flüssig / liquid
Odor	charakteristisch / characteristic
Viscosity at 104 °F	<7 mm ² /s
Density at 59 °F	0,765 g/cm ³

Areas of application

Suitable for use in all 4-stroke gasoline engines, with or without turbochargers. Safe for use with catalytic converters and particulate filters (GPF).

Application

Contents (300 mL) is sufficient for 25–75 Liters (7 gal. to 20 gal.) fuel. Regular use keeps injection system in perfect working order and gives lowest exhaust emissions. Smoother idling, better throttle response. Injection Cleaner can be mixed with fuel at any time since mixing is spontaneous.



Comment



WARNING: Cancer- www.P65Warnings.ca.gov

Available pack sizes

300 ml Can sheet metal	2007 USA (-EN-)
300 ml Can sheet metal	7711 CANADA (-EN-F-)

Our information is based on thorough research and may be considered reliable, although not legally binding.